APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF NEVADA HERETOFORE APPROPRIATED

Date of filing in State Engineer's Office	AUG 11 2006		
Returned to applicant for correction			
Corrected application filed		-	
Map filed	MAY 08 2006 under 74275		

The applicant CENTEX HOMES hereby makes application for permission to change the Point of Diversion Place of Use of a portion of water heretofore appropriated under PERMIT 66770

- 1. The source of water is TRUCKEE RIVER
- 2. The amount of water to be changed 0.144 CFS NOT TO EXCEED 12.02 ACRE FEET ANNUALLY
- 3. The water to be used for MUNICIPAL AND DOMESTIC
- 4. The water heretofore permitted for MUNICIPAL AND DOMESTIC
- 5. The water is to be diverted at the following point SEE EXHIBIT "A", ATTACHED HERETO AND MAP SUPPORTING APPLICATION 74275 ON FILE WITH THE STATE ENGINEER.
- 6. The existing permitted point of diversion is located within SEE EXHIBIT "B" ATTACHED HERETO AND MAP SUPPORTING APPLICATION 62879 ON FILE WITH THE STATE ENGINEER.
- 7. Proposed place of use SEE EXHIBIT "C" ATTACHED HERETO AND MAP SUPPORTING APPLICATION 74275 ON FILE WITH THE STATE ENGINEER.
- 8. Existing place of use **SEE EXHIBIT "D" ATTACHED HERETO AND MAP SUPPORTING APPLICATION 62201 ON FILE WITH THE STATE ENGINEER.**
- 9. Use will be from JANUARY 1 to DECEMBER 31 of each year.
- 10. Use was permitted from JANUARY 1 to DECEMBER 31 of each year.
- 11. Description of proposed works Water will be diverted into existing TMWA and/or Washoe County facilities, treated and placed into existing TMWA and/or Washoe County distribution systems.
- 12. Estimated cost of works EXISTING
- 13. Estimated time required to construct works EXISTING
- 14. Estimated time required to complete the application of water to beneficial use TEN YEARS
- 15. Remarks:

By **ROBERT E. FIRTH** s/Robert E. Firth 360 E. RIVERVIEW CIRCLE **RENO, NV 89509**

Compared gkl/hk_lh/ gkl
Protested

APPROVAL OF STATE ENGINEER
This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions: This permit to change the point of diversion and place of use of a portion of the waters of the Truckee River as heretofore granted under Permit 66770, which changed the point of diversion and place of use of Permit 24138, Certificate 6756, which changed the point of diversion, place of use and manner of use of a portion of Claim No. 591. Truckee River Decree, is issued subject to the terms and conditions imposed in said decree and with the understanding that no other rights on the source will be affected by the change proposed herein. A suitable measuring device must be installed and accurate measurements of water placed to beneficial use must be kept.
This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands. The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.
The amount of water to be changed shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.144 cubic feet per second, but not to exceed 12.02 acre-feet as decreed.
Work must be prosecuted with reasonable diligence and proof of completion of work shall be filed on or before:
<u>N/A</u>
Water must be placed to beneficial use and proof of the application of water to beneficial use shall be filed on or before:
April 6, 2017
Map in support of proof of beneficial use shall be filed on or before:
<u>N/A</u>
IN TESTIMONY WHEREOF, I, Tracy Taylor, P.E.,
State Engineer of Nevada, have hereunto set
my hand and the seal of my office,
this 6th day of April , A.D. 2007
Jany 73 C. P.C. State Engineer
Completion of work filed November 12, 2004, under 71420
Proof of beneficial use filed
Cultural map filedNA
Certificate No Issued

EXHIBIT "A"

The following describes the multiple points of diversion for Trucker Meadows Water Authority Water Treatment Plants and Washoe County Hidden Valley Induction Well 44, which are shown on the map accompanying Application No. 71534 on file with the State of Nevada, Evision of Water Resources, more particularly described as follows:

STEAMBOAT CANAL (HUNTER CREEK RESERVOIR):

The existing point of diversion is situate within the Northeast one-quarter of the Southwest one-quarter (NE¼ SW¼) of Section 31, T.19N., R.18E., M.D.B.&M., Washoe County, Nevada, from said point of diversion, the Southeast corner of said Section 31 bears South 62°04' East, a distance of 3,195.00 feet.

HIGHLAND DITCH (HIGHLAND RESERVOIR):

The existing point of diversion is situate within the Southwest one-quarter of the Southeast one quarter (SW% SE%) of Section 9, T.19N., R.18E., M.D.B.&M., Washoe County, Nevada, from said point of diversion, the Southeast corner of said Section 9 bears South 75°16' East, a distance of 1,650.00 feet.

IDLEWILD TREATMENT PLANT:

The existing point of diversion is situate within the Southeast one-quarter of the Southeast one-quarter (SE% SE%) of Section 10, T.19N., R.19E., M.D.B.&M., Washoe County, Nevada, from said point of diversion, the Southeast corner of said Section 10 bears South 69°57'58" East, a distance of 842.34 feet.

NORTH TRUCKEE DITCH (GLENDALE TREATMENT PLANT):

The existing point of diversion is situate within the Southwest one-quarter of the Northeast one-quarter (SW% NE%) of Section 7, T.19N., R.20E., M.D.B.&M., Washoe County, Nevada, from said point of diversion, the Northeast corner of said Section 7 bears North 39°28' East, a distance of 3,015.00 feet.

ORR DITCH PUMP STATION (CHALK BLUFF TREATMENT PLANT):

The point of diversion is situate within the Northeast one-quarter of the Southeast one-quarter (NE% SE%) of Section 17, T.19N., R.19E., M.D.B.&M., Washoe County, Nevada, from said point of diversion the Northeast corner of said Section 17 bears North 15°39'36" East, a distance of 3,264.77 feet.

ORR DITCH (CHALK BLUFF TREATMENT PLANT):

The point of diversion is situate within the Northeast one-quarter of the Southwest one-quarter (NE% SW%) of Section 17, T.19N., R.19E., M.D.B.&M., Washoe County, Nevada, from said point of diversion the Southwest corner of said Section 17 bears South 44°40' West, a distance of 3,211.00 feet.

WASHOE COUNTY (HIDDEN VALLEY INDUCTION WELL #4)

The point of diversion is situate within the West one-half of the Northwest one-quarter (W½ NW½) of Section 16 T.19N., R.20E., M.D.B.&M., Washoe County, Nevada from said point of diversion the West one-quarter corner of Section 21, T.19N., R.20E., M.D.B.&M. bears South 09*54'07*W a distance of 6929,94 feet.

29:27

 \odot

00770

"B"

** TIBIHX#

The following describes the multiple points of diversion for Sierra Pacific Power Company Water Treatment Plants, which are shown on the map accompanying Application No. 58882 on file with the State of Nevada, Division of Water Resources, more particularly described as follows:

STEAMBOAT CANAL (HUNTER CREEK RESERVOIR):

The existing point of diversion is situate within the Northeast one-quarter of the Southwest one-quarter (NE!/4 SWI/4) of Section 31, T.19N., R.18E., M.D.B.&M., Washoe County, Nevada, from said point of diversion, the Southeast corner of said Section 31 bears South 62°04' Bast, a distance of 3,195.00 feet

HIGHLAND DITCH (HIGHLAND RESERVOIR):

The existing point of diversion is situate within the Southwest one-quarter of the Southeast one-quarter (SW1/4 SE1/4) of Section 9, T.19N., R.18E., M.D.B.&M., Washoo County, Nevada. from said point of diversion, the Southeast corner of said Section 9 bears South 75°16' East, a distance of 1,650.00 feet.

IDLEWILD TREATMENT PLANT:

The existing point of diversion is situate within the Southeast one-quarter of the Southeast one-quarter (SEI/4 SEI/4) of Section 10, T.19N., R.19E., M.D.B.&M., Washoo County, Nevada, from said point of diversion, the Southeast corner of said Section 10 bears South 69°57'53" East, a distance of 842.34 feet.

NORTH TRUCKEE DITCH (GLENDALE TREATMENT PLANT)

The existing point of diversion is situate within the Southwest one-quarter of the Northeast one-quarter (SW I/4 NE1/4) of Section 7, T.19N., R.20E., M.D.B.&M., Washoe County, Nevada, from said point of diversion, the Northeast corner of said Section 7 bears North 39°28' East, a distance of 3,015.00 feet.

ORR DITCH PUMP STATION (CHALK BLUFF TREATMENT PLANT):

The point of diversion is situate within the Northeast one-quarter of the Southeast onequarter (NEXSEX) of Section 17, T.19N., R. 19E., M.D.B.&M., Washoe County, Nevada from said point of diversion the Northeast corner of said Section 17 bears North 15°39'36" East, a distance of 3,264.77 feet.

ORR DITCH (CHALK BLUFF TREATMENT PLANT):

The point of diversion is situate within the Northeast one-quarter of the Southwest onequarter (NEASWA) of Section 17, T. 19N., R. 19E., M.D.B.&M., Washoe County, Nevada from said point of diversion the Southwest corner of said Section 17 boars South 44'40' West, a distance of 3,211.00 feet.

EXHIBIT "A"
PROPOSED PLACE OF USE

DIVISION	SECTION	T-N	R-E	
ALL	1-5	18	18	M.D.B.& M.
E 1/2	6 & 7	18	18	M.D.B.& M.
ALL	8-17	18	18	M.D.B.& M.
E 1/4	18 & 19	18	18	M.D.B.& M.
ALL	20 – 29	18	18	M.D.B.& M.
E 1/2	30 & 31	18	18	M.D.B.& M.
ALL	32 – 36	18	18	M,D,B,& M.
ALL	1-5	19	18	M.D.B.& M.
B 1/2	6&7	19	18	M.D.B.& M.
ALL	8-17	19	18	M.D.B.& M. M.D.B.& M.
E 1/2	18 & 19	19	18 18	M.D.B.& M.
ALL	20 – 29	19 19	18	M.D.B.& M.
E 1/2	30 & 31	19	18	M.D.B.& M.
ALL	32 – 36	13	10	M.D.D.ot M.
ALL	1-5	20	18	M.D.B.& M.
巨场	6&7	20	18	M.D.B.& M.
ALL	8 - 17	20	18	M.D.B.& M.
E 1/4	18 & 19	20	18	M,D.B.& M.
ALL	20 - 29	20	18	M.D.B.& M.
E 1/2	30 & 31	20 -	18	M.D.B.& M.
ALL	32 – 36	20	18	M.D.B.& M.
ALL	1 – 5	21	18	M.D.B.& M.
E ½	6&7	21	18	M.D.B.& M.
ALL ·	8 – 17	21	18	M.D.B.& M.
E 1/2	18 & 19	21	18	M.D.B.& M.
ALL	20 – 29	21	· 18	M.D.B.& M.
E ½	30 & 31	21	18	M.D.B.& M.
ALL	32 - 36	21	18	M.D.B.& M.
ALL	1 – 36	17	19	M.D.B.& M.
ALL	1 – 36	18	19	M.D.B.& M.
ALL	1 – 36	. 19	19	M.D.B.& M.
ALL	1 – 36	20	19	M.D.B.& M.
ALL	1 – 36	21	19	M.D.B.& M.
ALL	5 & 6	16	20	M.D.B.& M.
ALL	1 – 36	17	20	M.D.B.& M.
ALL W ½	2 – 35 36	18 18	20 20	M.D.B.& M. M.D.B.& M.
ALL	1 – 12	19	20	M.D.B.& M.
ALL	14 - 23	19	20	M.D.B.& M.
ALL	26 – 35	19	20	M.D.B.& M.
ALL	1 – 36	20	20	M.D.B.& M.
ALL	1 – 36	21	20	M.D.B.& M.
ALL	1 – 36	20	21	M.D.B.& M.
ALL	1 – 36	21	21	M.D.B.& M.

 $\overline{}$

″ Ɗ	Ŋ	
ำ		

EXISTING BANKET OFFICE					
		DEP PLACE OF USE			
DIVISION	SECTION	<u>T-N</u>	<u>R-1</u>	2	
ALL	1-5			-	
84	687	13.	13	M.D.S.AM,	
ALL,	\$-17	H	(4	M,D,B, a M,	
EV.	188.19	13	14	M.D.B.AM.	
ALL	20-29	18	18	M.D.B.&M.	
E%	J0431	18	18	M.D.B.am	
ALL	32-34	18 12	14	M.D.R.EM.	
		M	I	M.O.B.AM	
ALL	1-5	19	52	M.D.B.AM,	
EY ₁	6 8 7	19	75	M.D.B.AM.	
ALL	2-17	19	12	M.D.G.AM.	
E /4	18419	19	13	M.D.B.AM.	
ALL	20-29	19	ii.	M.D.B.&M.	
6 %	38 <u>4</u> 35	17	1	M.D.B.AM.	
ALL.	32-34	19	13	M.D.R.AM.	
ALL				· heltelt in the	
EM	14	20	18	M.D.S.&M.	
ALL.	547 3.00	20	72	M.D.E.MM.	
Ex	3-17	29	12	M.D.B.AM.	
ALL	15419	20	12	M.D.B.AM.	
Eh:	20-29	20	槽	M.D. BAM.	
ALL	30£31	20	18	M.D.R.AM.	
	32-34	29	18	M,O,B.EM,	
ALL	145	21			
E45	64.7	21	it.	M.O.B.&M,	
ALL .	8-17	21	1	M.D.B.AM,	
E l4	134.19	21 21	14	M.O.B.AM,	
NLL	26-29	21	iŧ	M.O.B.AM	
3%	30431	21	1\$ 1\$	M.D.B.AM,	
AT.	32-36	2)	18	M.D.S.EM.	
		4,	16	MD,RAM,	
uL	1-36	12	17	M.D.B.RM.	
ALL.	1 9/				
	1-36	19	17	M,C.B.AM.	
iLi	1-36	20			
	, 	20	19	M.D.B.AM.	
LL.	1-36	21	19	MOREL	
			,,,	M.D.B.AM	
LL M	2-35	i ž	20	W.D.B.AM.	
174	36	18	ä	M.D.B.&M.	
LL.					
፲	1-12	13	20	M.D.S.&M.	
ū	14-23	19	20	M.D.B.&M.	
	26-35	19	20	M.D.B.&M	
L	1-36	•			
	1-34	30	20	M.D.B. I. M.	
LL.	1-36	21			
	- 	4'	2	M.D.R.&M.	
1 .	1-34	2ô [']	26	W.D.B.AM	

AND DAY MAD MALE OF PILE WITH APPLICATION NO. 62141